

On the (Non-)Succinctness of Uniform Interpolation in General \mathcal{EL} Terminologies

Nadeschda Nikitina, Sebastian Rudolph

Karlsruhe Institute of Technology
Karlsruhe, Germany
nikitina,rudolph@kit.edu

1 Introduction

In view of the practical deployment of OWL [9] based on description logics [2], the importance of non-standard reasoning services for supporting ontology engineers was pointed out, for instance, in [8]. An example of such reasoning services is that of *uniform interpolation*: given a theory using a certain vocabulary, and a subset Σ of “relevant terms” of that vocabulary, find a theory that uses only Σ terms and gives rise to the same consequences (expressible via Σ) as the original theory. In particular for the understanding and the development of complex knowledge bases, e.g., those consisting of *general concept inclusions* (GCIs), the appropriate tool support would be beneficial. We consider the task of uniform interpolation in the very lightweight description logic \mathcal{EL} , the basic member of the \mathcal{EL} family [1] which provides the logical backbone of the OWL EL profile. The existing related approaches ([3,6,4]) do not provide a solution for the task of uniform interpolation in general \mathcal{EL} terminologies. Up to now, also the bounds on the size of uniform \mathcal{EL} interpolants have been unknown. We propose a worst-case-optimal approach to computing a finite uniform \mathcal{EL} interpolant for a general terminology. After a normalization, we construct two regular tree grammars generating subsumees and subsumers of atomic concepts interpreted as tree languages. Using a Gentzen-stype proof calculus for general subsumptions in \mathcal{EL} , we show that, in case a uniform interpolant exists, the corresponding sublanguages with an exponential bound on the role depth are sufficient to obtain a uniform \mathcal{EL} interpolant of at most triple exponential size. Further, we show that, in the worst-case, no smaller interpolants exist, thereby establishing the triple exponential tight bounds on the size of uniform interpolants in \mathcal{EL} . This is a report on our recent work accepted at ECAI 2012 [7].

2 Preliminaries

Let N_C and N_R be countably infinite and mutually disjoint sets of concept symbols and role symbols. An \mathcal{EL} concept C is defined as $C ::= A \mid \top \mid C \sqcap C \mid \exists r.C$, where A and r range over N_C and N_R , respectively. In the following, we use symbols A, B to denote atomic concepts and C, D to denote arbitrary concepts. A *terminology* or *TBox* consists of *concept inclusion* axioms $C \sqsubseteq D$ and *concept equivalence* axioms $C \equiv D$ used as a shorthand for $C \sqsubseteq D$ and $D \sqsubseteq C$. While knowledge bases in general can also include a specification of individuals with the corresponding concept and role assertions

(ABox), in this paper we do not consider them. The signature of an \mathcal{EL} concept C or an axiom α , denoted by $\text{sig}(C)$ or $\text{sig}(\alpha)$, respectively, is the set of concept and role symbols occurring in it. To distinguish between the set of concept symbols and the set of role symbols, we use $\text{sig}_C(C)$ and $\text{sig}_R(C)$, respectively. The signature of a TBox \mathcal{T} , in symbols $\text{sig}(\mathcal{T})$ (correspondingly, $\text{sig}_C(\mathcal{T})$ and $\text{sig}_R(\mathcal{T})$), is defined analogously. The semantics of the above introduced DL constructs is standard and can be found, for instance, in [2].

In this paper, we investigate uniform interpolation based on concept- inseparability, i.e., the aim is to preserve all Σ -concept inclusions. Thus, the task of *uniform interpolation* is defined as follows: Given a signature Σ and a TBox \mathcal{T} , determine a TBox \mathcal{T}' with $\text{sig}(\mathcal{T}') \subseteq \Sigma$ such that for all \mathcal{EL} concepts C, D with $\text{sig}(C) \cup \text{sig}(D) \subseteq \Sigma$ holds: $\mathcal{T} \models C \sqsubseteq D$ iff $\mathcal{T}' \models C \sqsubseteq D$. \mathcal{T}' is also called a *uniform \mathcal{EL} Σ -interpolant* of \mathcal{T} . In practice, uniform interpolants are required to be finite, i.e., expressible by a finite set of finite axioms using only the language constructs of \mathcal{EL} .

3 Lower Bound

While deciding the existence of uniform interpolants in \mathcal{EL} is double-exponential [4], i.e., one exponential less complex than the same decision problem for the more complex logic \mathcal{ALC} [6], the size of uniform interpolants remains triple-exponential. We demonstrate that this is in fact the lower bound by the means of the following example (obtained by a slight modification of an example given in [5] originally demonstrating a double exponential lower bound in the context of conservative extensions).

Example 1. The \mathcal{EL} TBox \mathcal{T}_n for a natural number n is given by

$$\begin{aligned}
A_1 &\sqsubseteq \overline{X_0} \sqcap \dots \sqcap \overline{X_{n-1}} & (1) \\
A_2 &\sqsubseteq \overline{X_0} \sqcap \dots \sqcap \overline{X_{n-1}} & (2) \\
\sqcap_{\sigma \in \{r,s\}} \exists \sigma. (\overline{X_i} \sqcap X_0 \sqcap \dots \sqcap X_{i-1}) &\sqsubseteq X_i & i < n & (3) \\
\sqcap_{\sigma \in \{r,s\}} \exists \sigma. (X_i \sqcap X_0 \sqcap \dots \sqcap X_{i-1}) &\sqsubseteq \overline{X_i} & i < n & (4) \\
\sqcap_{\sigma \in \{r,s\}} \exists \sigma. (\overline{X_i} \sqcap \overline{X_j}) &\sqsubseteq \overline{X_i} & j < i < n & (5) \\
\sqcap_{\sigma \in \{r,s\}} \exists \sigma. (X_i \sqcap \overline{X_j}) &\sqsubseteq X_i & j < i < n & (6) \\
X_0 \sqcap \dots \sqcap X_{n-1} &\sqsubseteq B & (7)
\end{aligned}$$

In \mathcal{T}_n , concepts X_i and $\overline{X_i}$ represent the bit i being set and unset, respectively. Axiom 3 insures that an unset bit will be set in the successor number, if all bits before it are already set. The subsequent Axiom 4 insures that a set bit will be unset in the successor number, if all bits before it are also set. Axioms 5 and 6 insure that in all other cases, bits do not switch. For instance, Axioms 5 states that, if any bit before bit i is unset yet, then bit i will remain unset also in the successor number. If we now consider sets \mathcal{C}_i of concept descriptions inductively defined by $\mathcal{C}_0 = \{A_1, A_2\}$, $\mathcal{C}_{i+1} = \{\exists r.C_1 \sqcap \exists s.C_2 \mid C_1, C_2 \in \mathcal{C}_i\}$, then we find that $|\mathcal{C}_{i+1}| = |\mathcal{C}_i|^2$ and consequently $|\mathcal{C}_i| = 2^{(2^i)}$. Thus, the set \mathcal{C}_{2^n-1} contains triply exponentially many different concepts, each of which is doubly exponential in the size of \mathcal{T}_n (intuitively, we obtain concepts having the shape of binary trees of exponential depth, thus having doubly exponentially many leaves, each of which can be endowed with A_1 or A_2 , giving rise to triply exponentially

many different such trees). It can be shown that for each concept $C \in \mathcal{C}_{2^n-1}$ it holds $\mathcal{T}_n \models C \sqsubseteq B$ and that there cannot be a smaller uniform interpolant w.r.t. the signature $\Sigma = \{A_1, A_2, B, r, s\}$ than the one containing all these GCIs.

Hence we have found a class \mathcal{T}_n of TBoxes giving rise to uniform interpolants of triple-exponential size in terms of the original TBox. In the following, we show that this is also an upper bound by providing a procedure for computing uniform interpolants with a triple-exponentially bounded output.

4 Upper Bound

The upper bound can be shown by providing an algorithm, which computes a uniform interpolant, in case it exists, of at most triple-exponential size in the size of the original TBox. The algorithm relies on a normalization, which assigns to each sub-expression occurring in the original TBox and not being equivalent to any atomic concept a fresh concept name. This can be done recursively by replacing sub-expressions $C_1 \sqcap \dots \sqcap C_n$ and $\exists r.C$ by fresh concept symbols until each axiom in the TBox \mathcal{T} is one of $\{A \sqsubseteq B, A \equiv B_1 \sqcap \dots \sqcap B_n, A \equiv \exists r.B\}$, where $A, B, B_i \in \text{sig}_C(\mathcal{T}) \cup \{\top\}$ and $r \in \text{sig}_R(\mathcal{T})$. Given the above normalization, it can be shown using proof theory, that the uniform interpolant UI can be obtained from the sets of subsumers and subsumees of all atomic concepts in \mathcal{T} as follows.

Definition 1. Let \mathcal{T} be a normalized \mathcal{EL} TBox and, for each $A \in \text{sig}_C(\mathcal{T})$, let $R_1(A)$ and $R_2(A)$ be the set of subsumees and the set of subsumers of A in \mathcal{T} . Then, the \mathcal{EL} TBox $\text{UI}(\mathcal{T}, \Sigma, R_1, R_2)$ is given by

$$\begin{aligned} & \{C \sqsubseteq A \mid A \in \Sigma, C \in R_1(A)\} \cup \{A \sqsubseteq D \mid A \in \Sigma, D \in R_2(A)\} \cup \\ & \{C \sqsubseteq D \mid \text{there is } A \notin \Sigma, C \in R_1(A), D \in R_2(A)\}. \end{aligned}$$

In our approach, we represent the (possibly infinite) sets of subsumees and subsumers as tree languages $L(G)$ generated by regular tree grammars G , where concept expressions C are interpreted as a trees according to their term structure.

Theorem 1. Let \mathcal{T} be a normalized \mathcal{EL} TBox, Σ a signature. For each $A \in \text{sig}_C(\mathcal{T})$, we can compute from \mathcal{T} in exponential time a grammar $G^\sqsupseteq(\mathcal{T}, \Sigma, A)$ generating subsumees of A and a grammar $G^\sqsubseteq(\mathcal{T}, \Sigma, A)$ generating subsumers of A with the following properties:

- $G^\sqsupseteq(\mathcal{T}, \Sigma, A)$ and $G^\sqsubseteq(\mathcal{T}, \Sigma, A)$ are exponentially bounded in the size of \mathcal{T} , while the number of non-terminals corresponds to the number of atomic concepts in \mathcal{T} .
- For each C with $\text{sig}(C) \subseteq \Sigma$ such that $\mathcal{T} \models C \sqsubseteq A$ there is a concept C' generated by $G^\sqsupseteq(\mathcal{T}, \Sigma, A)$ such that C can be obtained from C' by adding arbitrary conjuncts to arbitrary sub-expressions.
- Each D satisfying $\text{sig}(D) \subseteq \Sigma$ and $\mathcal{T} \models A \sqsubseteq D$ is generated by $G^\sqsubseteq(\mathcal{T}, \Sigma, A)$.

While the languages generated by the grammars are usually infinite, to obtain the corresponding upper bound, we require finite subsets of $L(G^\sqsupseteq(\mathcal{T}, \Sigma, A))$ and $L(G^\sqsubseteq(\mathcal{T}, \Sigma, A))$. Based on the results presented in [4], we obtain a bound on the role depth of minimal uniform \mathcal{EL} interpolants, allowing us to restrict the role depth of relevant elements in $L(G^\sqsupseteq(\mathcal{T}, \Sigma, A))$ and $L(G^\sqsubseteq(\mathcal{T}, \Sigma, A))$:

Lemma 1. *Let \mathcal{T} be a normalized \mathcal{EL} TBox, Σ a signature. There exists a uniform \mathcal{EL} Σ -interpolant of \mathcal{T} if and only if there exists a uniform \mathcal{EL} Σ -interpolant \mathcal{T}' of \mathcal{T} whose maximal role depth is exponentially bounded by $|\mathcal{T}|$.*

Based on this bound and the size of $G^\exists(\mathcal{T}, \Sigma, A), G^\sqsubseteq(\mathcal{T}, \Sigma, A)$, we can describe a way to materialize a role-depth-bounded part of $G^\exists(\mathcal{T}, \Sigma, A), G^\sqsubseteq(\mathcal{T}, \Sigma, A)$ into subsumer and subsumee sets $R_1(A)$ and $R_2(A)$, respectively, obtaining the following result:

Theorem 2. *Given an \mathcal{EL} TBox \mathcal{T} and a signature Σ , there exists a uniform \mathcal{EL} Σ -interpolant of \mathcal{T} iff there exists a uniform \mathcal{EL} Σ -interpolant \mathcal{T}' with $|\mathcal{T}'| \in O(2^{2^{2^{|\mathcal{T}|}}})$.*

5 Summary

In this paper, we summarize an approach to computing uniform interpolants of general \mathcal{EL} terminologies based on proof theory and regular tree languages. Moreover, we noted that, if a finite uniform \mathcal{EL} interpolant exists, then there exists one of at most triple exponential size in terms of the original TBox, and that, in the worst-case, no shorter interpolant exists, thereby establishing the triple exponential tight bounds.

References

1. Baader, F., Brandt, S., Lutz, C.: Pushing the \mathcal{EL} envelope. In: Proc. of the 19th Int. Joint Conf. on Artificial Intelligence (IJCAI-05). pp. 364–369 (2005)
2. Baader, F., Calvanese, D., McGuinness, D., Nardi, D., Patel-Schneider, P. (eds.): The Description Logic Handbook: Theory, Implementation, and Applications. Cambridge University Press, second edn. (2007)
3. Konev, B., Walther, D., Wolter, F.: Forgetting and uniform interpolation in large-scale description logic terminologies. In: Proc. of the 21st Int. Joint Conf. on Artificial Intelligence (IJCAI-09). pp. 830–835 (2009)
4. Lutz, C., Seylan, I., Wolter, F.: An automata-theoretic approach to uniform interpolation and approximation in the description logic EL. In: Proc. of the 13th Int. Conf. on Principles of Knowledge Representation and Reasoning (KR-12) (2012)
5. Lutz, C., Wolter, F.: Deciding inseparability and conservative extensions in the description logic \mathcal{EL} . Journal of Symbolic Computation 45(2), 194–228 (2010)
6. Lutz, C., Wolter, F.: Foundations for uniform interpolation and forgetting in expressive description logics. In: Proc. of the 22nd Int. Joint Conf. on Artificial Intelligence (IJCAI-11). pp. 989–995 (2011)
7. Nikitina, N., Rudolph, S.: ExpExpExplosion: Uniform interpolation in general EL terminologies. In: Proc. of the 20th European Conf. on Artificial Intelligence (ECAI-12) (2012), to appear. Extended version available via <http://dl.dropbox.com/u/10637748/11.pdf>
8. Nikitina, N., Rudolph, S., Glimm, B.: Reasoning-supported interactive revision of knowledge bases. In: Proc. of the 22nd Int. Joint Conf. on Artificial Intelligence (IJCAI-11). pp. 1027–1032 (2011)
9. OWL Working Group, W.: OWL 2 Web Ontology Language: Document Overview. W3C Recommendation (27 October 2009), available at <http://www.w3.org/TR/owl2-overview/>